

Windows Phone 8 Development Internals

Andrew Whitechapel
Sean McKenna

Contents at a Glance

| | |
|---------------------|--------------|
| <i>Foreword</i> | <i>xxiii</i> |
| <i>Introduction</i> | <i>xxv</i> |

PART I **CORE FEATURES**

| | | |
|------------|-----------------------------|-----|
| CHAPTER 1 | Vision and architecture | 3 |
| CHAPTER 2 | App model and navigation | 33 |
| CHAPTER 3 | UI visuals and touch | 77 |
| CHAPTER 4 | Data binding and MVVM | 139 |
| CHAPTER 5 | Phone and media services | 187 |
| CHAPTER 6 | Sensors | 233 |
| CHAPTER 7 | Web connectivity | 273 |
| CHAPTER 8 | Web services and the cloud | 315 |
| CHAPTER 9 | Background agents | 349 |
| CHAPTER 10 | Local storage and databases | 395 |

PART II **WINDOWS PHONE 7 TO WINDOWS PHONE 8**

| | | |
|------------|---|-----|
| CHAPTER 11 | App publication | 439 |
| CHAPTER 12 | Profiling and diagnostics | 467 |
| CHAPTER 13 | Porting to Windows Phone 8 and multitargeting | 509 |
| CHAPTER 14 | Tiles and notifications | 539 |
| CHAPTER 15 | Contacts and calendar | 587 |
| CHAPTER 16 | Camera and photos | 621 |
| CHAPTER 17 | Networking and proximity | 667 |
| CHAPTER 18 | Location and maps | 707 |

PART III **NEW WINDOWS PHONE 8 FEATURES**

| | | |
|------------|---------------------|-----|
| CHAPTER 19 | Speech | 753 |
| CHAPTER 20 | The Wallet | 785 |
| CHAPTER 21 | Monetizing your app | 811 |
| CHAPTER 22 | Enterprise apps | 845 |

**PART IV NATIVE DEVELOPMENT AND WINDOWS PHONE 8
CONVERGENCE**

| | | |
|------------|-----------------------|-----|
| CHAPTER 23 | Native development | 867 |
| CHAPTER 24 | Windows 8 convergence | 901 |
| CHAPTER 25 | Games and Direct3D | 933 |
| | <i>Index</i> | 965 |

Contents

| | |
|---------------------------|--------------|
| <i>Foreword</i> | <i>xxiii</i> |
| <i>Introduction</i> | <i>xxv</i> |

PART I **CORE FEATURES**

| | |
|---|----------|
| Chapter 1 Vision and architecture | 3 |
| A different kind of phone | 3 |
| The user interface | 4 |
| The role of apps | 6 |
| Windows phone architecture | 8 |
| Platform stack | 8 |
| App types | 9 |
| Background processing | 11 |
| Security model | 13 |
| Windows and Windows Phone: together at last | 16 |
| Building and delivering apps | 18 |
| Developer tools | 18 |
| App delivery | 20 |
| Getting started with “Hello World” | 21 |
| Creating a project | 22 |
| Understanding the project structure | 24 |
| Greeting the world from Windows Phone | 27 |
| Deploying to a Windows Phone device | 29 |
| The Windows Phone Toolkit | 29 |
| Summary | 31 |

What do you think of this book? We want to hear from you!

Microsoft is interested in hearing your feedback so we can continually improve our books and learning resources for you. To participate in a brief online survey, please visit:

microsoft.com/learning/booksurvey

| | | |
|------------------|---|-----------|
| Chapter 2 | App model and navigation | 33 |
| | The app lifecycle | 34 |
| | Normal termination | 37 |
| | App deactivated—fast app resume | 37 |
| | App deactivated—the tombstone case | 38 |
| | Setting a resume policy | 43 |
| | <i>Obscured</i> and <i>Unobscured</i> | 45 |
| | The page model | 47 |
| | Page creation order | 49 |
| | Navigation and state | 52 |
| | App state | 53 |
| | Page state | 56 |
| | Cancelling navigation | 59 |
| | Backstack management | 60 |
| | Navigation options | 63 |
| | Using <i>NavigateUri</i> | 64 |
| | Pages in separate assemblies | 64 |
| | <i>Fragment</i> and <i>QueryString</i> | 65 |
| | The <i>NavigationMode</i> and <i>IsNavigationInitiator</i> properties | 68 |
| | Re-routing navigation and URI mappers | 70 |
| | File type and URI associations | 72 |
| | Starting an app based on a file or URI | 72 |
| | Acting as a file type or URI handler | 73 |
| | Summary | 76 |
| | | |
| Chapter 3 | UI visuals and touch | 77 |
| | Phone UI elements | 77 |
| | Standard UI elements | 77 |
| | The visual tree | 81 |
| | Screen layout | 84 |
| | Working with <i>UserControls</i> vs. custom controls | 89 |
| | Re-templating controls | 92 |

| | |
|--|-----|
| Resources | 94 |
| Data resources | 94 |
| XAML resources and resource dictionaries | 95 |
| Implicit styles | 99 |
| Dependency and attached properties | 101 |
| Dependency properties | 101 |
| Attached properties | 104 |
| The app bar and notification area | 108 |
| Transient panels | 113 |
| Routed events | 121 |
| Logical touch gestures | 124 |
| Manipulation events | 126 |
| Mouse events | 132 |
| <i>FrameReported</i> events | 133 |
| Keyboard input | 135 |
| Summary | 137 |

Chapter 4 Data binding and MVVM 139

| | |
|---|-----|
| Simple data binding and <i>INotifyPropertyChanged</i> | 139 |
| Data-binding collections | 147 |
| Dynamic data-bound collections | 150 |
| Command binding | 153 |
| Template resources | 157 |
| Sorting and grouping bound collections | 158 |
| Type/value converters | 161 |
| Element binding | 164 |
| Data validation | 165 |
| Separating concerns | 171 |
| The Model-View-ViewModel pattern | 174 |
| The Visual Studio databound application project | 175 |
| MVVM in Pivot apps | 180 |

| | |
|---|-----|
| Row filtering in Pivot apps | 182 |
| Improving the Visual Studio Databound Application template. | 184 |
| Summary. | 186 |

Chapter 5 Phone and media services 187

| | |
|---|-----|
| Launchers and Choosers | 187 |
| Search extensibility. | 192 |
| App Connect. | 193 |
| App Instant Answer | 200 |
| Audio and video APIs. | 202 |
| Media playback. | 203 |
| The <i>MediaPlayerLauncher</i> | 203 |
| The <i>MediaElement</i> class | 204 |
| The <i>MediaStreamSource</i> and <i>ManagedMediaHelpers</i> classes | 205 |
| The <i>MediaElement</i> controls | 207 |
| Audio input and manipulation | 211 |
| The <i>SoundEffect</i> and <i>SoundEffectInstance</i> classes | 211 |
| Audio input and the microphone | 214 |
| The <i>DynamicSoundEffectInstance</i> class | 223 |
| Music and Videos Hub. | 227 |
| The Clipboard API. | 230 |
| Summary. | 232 |

Chapter 6 Sensors 233

| | |
|--------------------------------|-----|
| Orientation | 233 |
| Phone hardware | 236 |
| Sensor APIs. | 237 |
| The accelerometer | 238 |
| Reactive extensions | 242 |
| The Level Starter Kit. | 245 |
| Shake | 252 |
| Compass | 256 |

| | |
|-------------------|-----|
| Gyroscope | 261 |
| Motion APIs | 266 |
| Summary..... | 271 |

Chapter 7 Web connectivity 273

| | |
|--|-----|
| The <i>WebClient</i> and <i>HttpWebRequest</i> classes | 273 |
| Using the async pack..... | 278 |
| Using the Task Parallel Library..... | 280 |
| The <i>WebBrowser</i> control | 281 |
| Local webpages | 282 |
| Integrating with JavaScript..... | 284 |
| Live SDK | 287 |
| SkyDrive..... | 290 |
| Facebook | 294 |
| Twitter..... | 300 |
| The Data Sense feature | 312 |
| Summary..... | 314 |

Chapter 8 Web services and the cloud 315

| | |
|-------------------------------------|-----|
| Web services | 315 |
| Localhost and the emulator | 317 |
| Connecting to the web service | 321 |
| SOAP vs. REST..... | 323 |
| WCF data services..... | 325 |
| Creating an OData client | 326 |
| Filtered queries..... | 329 |
| Dynamic query results..... | 331 |
| Paging the data | 332 |
| Caching the data | 333 |
| JSON-formatted data | 337 |
| Web service security..... | 339 |

| | |
|---|-----|
| Windows Azure | 340 |
| Windows Azure web services | 341 |
| Windows Azure Mobile Services for Windows Phone | 345 |
| Summary | 348 |

Chapter 9 Background agents 349

| | |
|---|-----|
| Background tasks | 349 |
| Alarms and reminders | 350 |
| Alarms | 351 |
| Reminders | 354 |
| The Background Transfer Service | 358 |
| Generic Background Agents | 362 |
| GBA components | 366 |
| Updating tiles | 373 |
| The lock-screen background | 378 |
| Lock-screen notifications | 382 |
| Background audio | 384 |
| Background audio application | 388 |
| Background audio agent | 392 |
| Summary | 394 |

Chapter 10 Local storage and databases 395

| | |
|--|-----|
| Local storage | 395 |
| Isolated storage APIs | 395 |
| Windows Runtime storage | 402 |
| Win32 APIs | 407 |
| LINQ-to-SQL | 411 |
| Defining the database in code | 412 |
| Performing queries | 416 |
| Create/update/delete | 416 |
| Associations | 418 |
| Handling schema changes | 423 |
| Prepopulating a reference database | 427 |
| Maximizing LINQ-to-SQL performance | 431 |

| | |
|--|-----|
| SQLite | 434 |
| Acquiring SQLite for Windows Phone | 435 |
| Using SQLite from managed code | 436 |
| Summary..... | 436 |

PART II WINDOWS PHONE 7 TO WINDOWS PHONE 8

Chapter 11 App publication **439**

| | |
|---------------------------------|-----|
| Preparing for publication | 439 |
| The publication process..... | 443 |
| Dev Center reports..... | 452 |
| Updates..... | 454 |
| Beta testing | 458 |
| Versions..... | 459 |
| Selective targeting | 460 |
| Device capabilities | 460 |
| Device memory | 463 |
| Summary..... | 466 |

Chapter 12 Profiling and diagnostics **467**

| | |
|---|-----|
| Debugging..... | 467 |
| Targeting different device configurations | 467 |
| Troubleshooting app startup..... | 468 |
| Using Fiddler with the Windows Phone emulator | 468 |
| Testing..... | 472 |
| Unit testing | 472 |
| Simulating real-world conditions | 481 |
| Testing tombstoning | 485 |
| The Windows Phone emulator | 486 |
| Profiling | 487 |
| Frame rate counters..... | 488 |
| Redraw regions..... | 490 |
| <i>DeviceStatus</i> Memory APIs..... | 491 |

| | |
|---|-----|
| The Windows Phone Performance Analysis Tool | 493 |
| Profiling native code | 502 |
| Performance best practices | 503 |
| Keep the user engaged | 504 |
| Stay off of the UI thread | 504 |
| Simplify the visual tree | 505 |
| Easy wins with photos | 506 |
| Use <i>LongListSelector</i> instead of <i>ListBox</i> for large collections | 506 |
| Use panorama thoughtfully | 507 |
| Summary | 508 |

Chapter 13 Porting to Windows Phone 8 and multitargeting 509

| | |
|--|-----|
| Lighting up a Windows Phone 7 App with Windows Phone 8 features | 509 |
| Creating Windows Phone 8 tiles in a Windows Phone 7 App | 510 |
| Quirks mode and breaking changes | 520 |
| Quirks mode | 520 |
| Breaking changes | 521 |
| Managing platform-specific projects | 528 |
| Create distinct apps for Windows Phone 7.1 and Windows Phone 8 | 529 |
| Share a Windows Phone 7.1 library | 530 |
| Link source code files | 531 |
| Create abstract base classes and partial classes | 534 |
| Windows Phone 7.8 SDK | 536 |
| Test coverage for Windows Phone 7.x apps | 537 |
| Summary | 538 |

Chapter 14 Tiles and notifications 539

| | |
|---------------------------------------|-----|
| Tile sizes and templates | 539 |
| Secondary tiles | 546 |
| Pinning tiles | 550 |
| Cross-targeting Windows Phone 7 | 557 |

| | |
|--------------------------------------|-----|
| Push notifications | 558 |
| Push notification server | 561 |
| Push notification client | 565 |
| Registration web service | 569 |
| Additional server features | 573 |
| Batching intervals | 574 |
| XML payload | 575 |
| Response information | 576 |
| Additional client features | 576 |
| The <i>ErrorOccurred</i> event | 576 |
| User opt-in/out | 578 |
| Implementing a push viewmodel | 579 |
| Push notification security | 584 |
| Summary | 585 |

Chapter 15 Contacts and calendar 587

| | |
|--|-----|
| Contacts | 587 |
| Understanding the People Hub | 587 |
| Querying device contacts | 590 |
| Adding contact information | 602 |
| Creating a custom contacts store | 605 |
| Calendar | 614 |
| Querying the calendar | 614 |
| Creating a new appointment | 618 |
| Summary | 619 |

Chapter 16 Camera and photos 621

| | |
|--------------------------------------|-----|
| Acquiring a single photo | 621 |
| Working with the media library | 624 |
| Reading photos | 624 |
| Adding new images | 629 |

| | |
|--|-----|
| Capturing photos | 633 |
| The <i>PhotoCamera</i> class | 634 |
| The <i>PhotoCaptureDevice</i> class (Windows Phone 8 only) | 639 |
| Extending the Photos Hub | 649 |
| Apps pivot | 650 |
| The photo apps picker and photo edit picker | 651 |
| Lenses | 655 |
| Launching from the camera | 656 |
| Rich media editing | 659 |
| Sharing photos | 661 |
| Share picker | 661 |
| Auto-upload | 662 |
| Summary | 665 |

Chapter 17 Networking and proximity 667

| | |
|---|-----|
| Sockets | 667 |
| The Windows Runtime sockets API | 668 |
| .NET sockets | 675 |
| The WinSock API | 680 |
| Finding your app on nearby devices | 680 |
| Finding peers through Bluetooth | 683 |
| Finding peers through tap-to-connect | 686 |
| Reconnecting without retapping | 689 |
| Tap-to-connect with a Windows 8 app | 694 |
| Connecting to other Bluetooth devices | 695 |
| NFC 696 | |
| Reading and writing NFC tags | 697 |
| Sending a URI across devices | 702 |
| Summary | 705 |

| | |
|--|------------|
| Chapter 18 Location and maps | 707 |
| Architecture | 707 |
| Determining the current location (Windows Phone 7) | 708 |
| Bing maps (Windows Phone 7) | 712 |
| The Bing <i>Map</i> control | 712 |
| Bing maps web services | 716 |
| Bing Maps Launchers | 720 |
| Getting location (Windows Phone 8) | 722 |
| Maps API (Windows Phone 8) | 727 |
| The <i>Map</i> control | 727 |
| Route and directions | 734 |
| Maps Launchers | 739 |
| Continuous background execution (Windows Phone 8) | 741 |
| Testing location in the simulator | 747 |
| Location best practices | 748 |
| Summary | 749 |

PART III NEW WINDOWS PHONE 8 FEATURES

| | |
|--|------------|
| Chapter 19 Speech | 753 |
| Voice commands | 753 |
| The GSE | 754 |
| Building a simple voice commands App | 756 |
| Updating <i>PhraseLists</i> at run time | 766 |
| Speech recognition in apps | 767 |
| Simple recognition with built-in UX | 767 |
| Customizing the recognizer UI | 769 |
| Adding custom grammars | 770 |
| Text-to-Speech | 776 |
| Simple TTS with <i>SpeakTextAsync</i> | 777 |
| Taking control with speech synthesis markup language | 777 |

| | |
|--|-----|
| Putting it together to talk to your apps | 781 |
| Summary..... | 784 |

Chapter 20 The Wallet 785

| | |
|---|-----|
| Understanding the Wallet..... | 785 |
| The Wallet and Near Field Communication | 785 |
| The Wallet Hub..... | 786 |
| The Wallet object model | 787 |
| Managing deals | 787 |
| Transaction items..... | 796 |
| Payment instruments..... | 806 |
| Wallet agents..... | 806 |
| Summary..... | 809 |

Chapter 21 Monetizing your app 811

| | |
|---|-----|
| Advertising..... | 811 |
| Integrating the Ad Control..... | 812 |
| Ad Control design guidelines..... | 816 |
| Registering with Microsoft pubCenter..... | 819 |
| Trial mode..... | 823 |
| In-app purchase | 829 |
| Division of responsibilities | 830 |
| Types of IAP content | 831 |
| Configuring the mock IAP library | 832 |
| Purchasing durable content..... | 835 |
| Purchasing consumable content..... | 840 |
| Configuring IAP inventory | 841 |
| Summary..... | 844 |

| | |
|--|------------|
| Chapter 22 Enterprise apps | 845 |
| Windows Phone for business | 845 |
| Managed vs. unmanaged phones | 847 |
| MDM and managed phones | 847 |
| Managed enrollment | 847 |
| Unmanaged phones | 849 |
| Unmanaged enrollment | 850 |
| Company Apps | 855 |
| Building a company hub app | 856 |
| Summary | 863 |

PART IV NATIVE DEVELOPMENT AND WINDOWS PHONE 8 CONVERGENCE

| | |
|---|------------|
| Chapter 23 Native development | 867 |
| Native code overview | 867 |
| When to use native code | 868 |
| An introduction to modern C++ | 869 |
| Smart pointers | 869 |
| Foreach loops | 872 |
| Lambdas | 872 |
| Scoped, strongly typed <i>enums</i> | 874 |
| What about properties and events? | 875 |
| Managed-native interop | 878 |
| Creating the Windows Runtime component | 880 |
| Consuming the Windows Runtime component from C# | 885 |
| Debugging mixed-mode projects | 888 |
| Writing asynchronous code in C++ | 888 |
| Moving synchronous code to the background | 889 |
| Providing progress updates | 890 |
| Cancelling asynchronous operations | 892 |

| | |
|--|-----|
| Using Windows Runtime classes in C++ | 896 |
| Win32 API | 898 |
| Component Object Model (COM) | 899 |
| Supported platform COM libraries | 899 |
| Using custom COM libraries | 900 |
| Summary | 900 |

Chapter 24 Windows 8 convergence 901

| | |
|---|-----|
| Windows 8 and Windows Phone 8 compared | 901 |
| Developer tools and supported languages | 902 |
| Application models | 903 |
| Frameworks | 904 |
| Background processing | 909 |
| Authoring Windows Runtime components on Windows Phone | 911 |
| Sharing code between Windows and Windows Phone | 911 |
| Deciding when and how to share code | 911 |
| Code sharing and Model-View-ViewModel | 913 |
| Sharing .NET code by using the PCL | 914 |
| Linked files and conditional compilation | 919 |
| Sharing managed code with partial classes | 922 |
| Sharing native code | 924 |
| Sharing XAML-based UI with user controls | 927 |
| Summary | 932 |

Chapter 25 Games and Direct3D 933

| | |
|---|-----|
| Direct3D primer | 933 |
| Direct3D differences on Windows Phone | 935 |
| Visual Studio project types | 936 |
| Direct3D and XAML projects | 937 |

| | |
|--|-----|
| Structure of the basic Direct3D app | 940 |
| The <i>CoreApplication</i> and <i>CoreWindow</i> classes | 940 |
| Starter code classes | 941 |
| Initializing Direct3D | 945 |
| A brief word about the Component Object Model | 946 |
| DirectX hardware feature levels | 949 |
| Update and render | 950 |
| Minimal Direct3D app | 954 |
| Touch input | 959 |
| Direct2D and DirectXTK | 961 |
| Summary | 964 |
| <i>Index</i> | 965 |

What do you think of this book? We want to hear from you!

Microsoft is interested in hearing your feedback so we can continually improve our books and learning resources for you. To participate in a brief online survey, please visit:

microsoft.com/learning/booksurvey