

# *brief contents*

---

## **PART 1 GETTING STARTED .....1**

- 1 ■ What is Amazon Web Services? 3
- 2 ■ A simple example: WordPress in five minutes 34

## **PART 2 BUILDING VIRTUAL INFRASTRUCTURE WITH SERVERS AND NETWORKING.....51**

- 3 ■ Using virtual servers: EC2 53
- 4 ■ Programming your infrastructure: the command line, SDKs, and CloudFormation 91
- 5 ■ Automating deployment: CloudFormation, Elastic Beanstalk, and OpsWorks 124
- 6 ■ Securing your system: IAM, security groups, and VPC 152

## **PART 3 STORING DATA IN THE CLOUD ..... 183**

- 7 ■ Storing your objects: S3 and Glacier 185
- 8 ■ Storing your data on hard drives: EBS and instance store 204

- 9 ■ Using a relational database service: RDS 225
- 10 ■ Programming for the NoSQL database service: DynamoDB 253

**PART 4 ARCHITECTING ON AWS.....279**

- 11 ■ Achieving high availability: availability zones, auto-scaling, and CloudWatch 281
- 12 ■ Decoupling your infrastructure: ELB and SQS 310
- 13 ■ Designing for fault-tolerance 331
- 14 ■ Scaling up and down: auto-scaling and CloudWatch 363

# contents

---

*foreword xv*  
*preface xvii*  
*acknowledgments xix*  
*about this book xxi*  
*about the authors xxiv*  
*about the cover illustration xxv*

## PART 1 GETTING STARTED .....1

### **1** *What is Amazon Web Services? 3*

1.1 What is cloud computing? 4

1.2 What can you do with AWS? 5

*Hosting a web shop 5* ▪ *Running a Java EE application in your private network 6* ▪ *Meeting legal and business data archival requirements 7* ▪ *Implementing a fault-tolerant system architecture 9*

1.3 How you can benefit from using AWS 10

*Innovative and fast-growing platform 10* ▪ *Services solve common problems 11* ▪ *Enabling automation 11* ▪ *Flexible capacity (scalability) 11* ▪ *Built for failure (reliability) 12* ▪ *Reducing time to market 12* ▪ *Benefiting from economies of scale 12* ▪ *Worldwide 12* ▪ *Professional partner 12*

- 1.4 How much does it cost? 13
  - Free Tier* 13 ▪ *Billing example* 13 ▪ *Pay-per-use opportunities* 15
- 1.5 Comparing alternatives 15
- 1.6 Exploring AWS services 17
- 1.7 Interacting with AWS 20
  - Management Console* 20 ▪ *Command-line interface* 20
  - SDKs* 22 ▪ *Blueprints* 22
- 1.8 Creating an AWS account 23
  - Signing up* 23 ▪ *Signing In* 27 ▪ *Creating a key pair* 29
  - Creating a billing alarm* 32
- 1.9 Summary 32

## 2 *A simple example: WordPress in five minutes* 34

- 2.1 Creating your infrastructure 35
- 2.2 Exploring your infrastructure 41
  - Resource groups* 41 ▪ *Web servers* 42 ▪ *Load balancer* 44
  - MySQL database* 45
- 2.3 How much does it cost? 46
- 2.4 Deleting your infrastructure 48
- 2.5 Summary 49

## PART 2 BUILDING VIRTUAL INFRASTRUCTURE WITH SERVERS AND NETWORKING.....51

### 3 *Using virtual servers: EC2* 53

- 3.1 Exploring a virtual server 53
  - Launching a virtual server* 54 ▪ *Connecting to a virtual server* 65 ▪ *Installing and running software manually* 68
- 3.2 Monitoring and debugging a virtual server 69
  - Showing logs from a virtual server* 69 ▪ *Monitoring the load of a virtual server* 70
- 3.3 Shutting down a virtual server 71
- 3.4 Changing the size of a virtual server 72
- 3.5 Starting a virtual server in another data center 74
- 3.6 Allocating a public IP address 78
- 3.7 Adding an additional network interface to a virtual server 80

- 3.8 Optimizing costs for virtual servers 83
  - Reserve virtual servers* 84 ▪ *Bidding on unused virtual servers* 84
- 3.9 Summary 90

## 4 **Programming your infrastructure: the command line, SDKs, and CloudFormation** 91

- 4.1 Infrastructure as code 93
  - Automation and the DevOps movement* 93 ▪ *Inventing an infrastructure language: JIML* 94
- 4.2 Using the command-line interface 97
  - Installing the CLI* 97 ▪ *Configuring the CLI* 98 ▪ *Using the CLI* 103
- 4.3 Programming with the SDK 107
  - Controlling virtual servers with SDK: nodecc* 108 ▪ *How nodecc creates a server* 109 ▪ *How nodecc lists servers and shows server details* 110 ▪ *How nodecc terminates a server* 111
- 4.4 Using a blueprint to start a virtual server 112
  - Anatomy of a CloudFormation template* 113 ▪ *Creating your first template* 117
- 4.5 Summary 123

## 5 **Automating deployment: CloudFormation, Elastic Beanstalk, and OpsWorks** 124

- 5.1 Deploying applications in a flexible cloud environment 126
- 5.2 Running a script on server startup using CloudFormation 126
  - Using user data to run a script on server startup* 127 ▪ *Deploying OpenSwan as a VPN server to a virtual server* 127 ▪ *Starting from scratch instead of updating* 132
- 5.3 Deploying a simple web application with Elastic Beanstalk 132
  - Components of Elastic Beanstalk* 132 ▪ *Using Elastic Beanstalk to deploy Etherpad, a Node.js application* 133
- 5.4 Deploying a multilayer application with OpsWorks 138
  - Components of OpsWorks* 138 ▪ *Using OpsWorks to deploy an IRC chat application* 140
- 5.5 Comparing deployment tools 149
  - Classifying the deployment tools* 149 ▪ *Comparing the deployment services* 150
- 5.6 Summary 150

<b>6</b>	<b>Securing your system: IAM, security groups, and VPC</b>	<b>152</b>
6.1	Who's responsible for security?	153
6.2	Keeping your software up to date	154
	<i>Checking for security updates</i>	154
	▪ <i>Installing security updates on server startup</i>	155
	▪ <i>Installing security updates on running servers</i>	157
6.3	Securing your AWS account	157
	<i>Securing your AWS account's root user</i>	158
	▪ <i>Identity and Access Management service</i>	159
	▪ <i>Policies for authorization</i>	160
	<i>Users for authentication, and groups to organize users</i>	161
	<i>Roles for authentication of AWS resources</i>	163
6.4	Controlling network traffic to and from your virtual server	164
	<i>Controlling traffic to virtual servers with security groups</i>	166
	▪ <i>Allowing ICMP traffic</i>	167
	▪ <i>Allowing SSH traffic</i>	168
	▪ <i>Allowing SSH traffic from a source IP address</i>	168
	▪ <i>Allowing SSH traffic from a source security group</i>	170
	▪ <i>Agent forwarding with PuTTY</i>	172
6.5	Creating a private network in the cloud: Virtual Private Cloud (VPC)	173
	<i>Creating the VPC and an internet gateway (IGW)</i>	175
	▪ <i>Defining the public bastion host subnet</i>	175
	▪ <i>Adding the private Apache web server subnet</i>	178
	▪ <i>Launching servers in the subnets</i>	178
	<i>Accessing the internet from private subnets via a NAT server</i>	179
6.6	Summary	181

## PART 3 STORING DATA IN THE CLOUD ..... 183

<b>7</b>	<b>Storing your objects: S3 and Glacier</b>	<b>185</b>
7.1	Concept of an object store	186
7.2	Amazon S3	186
7.3	Backing up your data	187
7.4	Archiving objects to optimize costs	190
	<i>Creating an S3 bucket for use with Glacier</i>	190
	▪ <i>Adding a lifecycle rule to a bucket</i>	191
	▪ <i>Experimenting with Glacier and your lifecycle rule</i>	193
7.5	Storing objects programmatically	195
	<i>Setting up an S3 bucket</i>	195
	▪ <i>Installing a web application that uses S3</i>	196
	▪ <i>Reviewing code access: S3 with SDK</i>	196

- 7.6 Using S3 for static web hosting 198
  - Creating a bucket and uploading a static website* 199
  - *Configuring a bucket for static web hosting* 199
  - *Accessing a website hosted on S3* 200
- 7.7 Internals of the object store 201
  - Ensuring data consistency* 201
  - *Choosing the right keys* 202
- 7.8 Summary 203

## 8 **Storing your data on hard drives: EBS and instance store** 204

- 8.1 Network-attached storage 205
  - Creating an EBS volume and attaching it to your server* 206
  - *Using Elastic Block Store* 206
  - *Tweaking performance* 208
  - *Backing up your data* 210
- 8.2 Instance stores 212
  - Using an instance store* 214
  - *Testing performance* 215
  - Backing up your data* 216
- 8.3 Comparing block-level storage solutions 216
- 8.4 Hosting a shared file system backed by an instance store and EBS 217
  - Security groups for NFS* 218
  - *NFS server and volume* 220
  - NFS server installation and configuration script* 221
  - *NFS clients* 223
  - *Sharing files via NFS* 223
- 8.5 Summary 224

## 9 **Using a relational database service: RDS** 225

- 9.1 Starting a MySQL database 228
  - Launching a WordPress platform with an Amazon RDS database* 228
  - *Exploring an RDS database instance with a MySQL engine* 231
  - *Pricing for Amazon RDS* 233
- 9.2 Importing data into a database 234
- 9.3 Backing up and restoring your database 236
  - Configuring automated snapshots* 236
  - *Creating snapshots manually* 237
  - *Restoring a database* 238
  - *Copying a database to another region* 240
  - *Calculating the cost of snapshots* 240
- 9.4 Controlling access to a database 241
  - Controlling access to the configuration of an RDS database* 241
  - Controlling network access to an RDS database* 243
  - *Controlling data access* 243

- 9.5 Relying on a highly available database 244
  - Enabling high-availability deployment for an RDS database* 245
- 9.6 Tweaking database performance 246
  - Increasing database resources* 246 ▪ *Using read replication to increase read performance* 248
- 9.7 Monitoring a database 250
- 9.8 Summary 251

## 10 **Programming for the NoSQL database service: DynamoDB** 253

- 10.1 Operating DynamoDB 255
  - Administration* 255 ▪ *Pricing* 255 ▪ *RDS comparison* 255
- 10.2 DynamoDB for developers 256
  - Tables, items, and attributes* 256 ▪ *Primary keys* 257 ▪ *NoSQL comparison* 257 ▪ *DynamoDB Local* 258
- 10.3 Programming a to-do application 258
- 10.4 Creating tables 260
  - Users with hash keys* 260 ▪ *Tasks with hash and range keys* 262
- 10.5 Adding data 263
  - Adding a user* 265 ▪ *Adding a task* 265
- 10.6 Retrieving data 266
  - Getting by key* 267 ▪ *Querying by key and filter* 268 ▪ *Using secondary indexes for more flexible queries* 270 ▪ *Scanning and filtering all of your table's data* 272 ▪ *Eventually consistent data retrieval* 273
- 10.7 Removing data 273
- 10.8 Modifying data 274
- 10.9 Scaling capacity 275
- 10.10 Summary 277

## PART 4 ARCHITECTING ON AWS.....279

### 11 **Achieving high availability: availability zones, auto-scaling, and CloudWatch** 281

- 11.1 Recovering from server failure with CloudWatch 283
  - Creating a CloudWatch alarm* 285 ▪ *Monitoring and recovering a virtual server based on a CloudWatch alarm* 286

- 11.2 Recovering from a data center outage 289
  - Availability zones: multiple data centers per region* 290
  - Using auto-scaling to ensure that a virtual server is always running* 294
  - *Recovering a failed virtual server to another availability zone with the help of auto-scaling* 296
  - *Pitfall: network-attached storage recovery* 299
  - *Pitfall: network interface recovery* 303
- 11.3 Analyzing disaster-recovery requirements 307
  - RTO and RPO comparison for a single virtual server* 308
- 11.4 Summary 309

## 12 ***Decoupling your infrastructure: ELB and SQS*** 310

- 12.1 Synchronous decoupling with load balancers 312
  - Setting up a load balancer with virtual servers* 313
  - *Pitfall: connecting a server too early* 315
  - More use cases* 316
- 12.2 Asynchronous decoupling with message queues 322
  - Turning a synchronous process into an asynchronous one* 323
  - Architecture of the URL2PNG application* 324
  - *Setting up a message queue* 324
  - *Producing messages programmatically* 324
  - Consuming messages programmatically* 326
  - *Limitations of messaging with SQS* 329
- 12.3 Summary 330

## 13 ***Designing for fault-tolerance*** 331

- 13.1 Using redundant EC2 instances to increase availability 333
  - Redundancy can remove a single point of failure* 334
  - Redundancy requires decoupling* 336
- 13.2 Considerations for making your code fault-tolerant 337
  - Let it crash, but also retry* 337
  - *Idempotent retry makes fault-tolerance possible* 337
- 13.3 Architecting a fault-tolerant web application: Imagery 340
  - The idempotent image-state machine* 343
  - *Implementing a fault-tolerant web service* 345
  - *Implementing a fault-tolerant worker to consume SQS messages* 351
  - *Deploying the application* 354
- 13.4 Summary 362

<b>14</b>	<b><i>Scaling up and down: auto-scaling and CloudWatch</i></b>	<b>363</b>
14.1	Managing a dynamic server pool	365
14.2	Using metrics and schedules to trigger scaling	370
	<i>Scaling based on a schedule</i>	371
	▪ <i>Scaling based on CloudWatch metrics</i>	372
14.3	Decoupling your dynamic server pool	375
	<i>Scaling a dynamic server pool synchronously decoupled by a load balancer</i>	377
	▪ <i>Scaling a dynamic server pool asynchronously decoupled by a queue</i>	382
14.4	Summary	385
	<i>index</i>	387